Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	195	(filter\$3) near3 vertical with characteristic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 14:11
L2	27035246	@ay<="2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 14:11
L3	177	1 and 2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 14:12
L4	2	"US 20040174353"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 14:47
L5	0	4 and eleminat\$3 with high	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 14:47
L6	0	4 and eleminat\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 14:47
L7	0	4 and eliminat\$3 with high	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 14 47
L8	0	4 and eliminat\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 14:48
L9	1	4 and high\$3 near3 frequenc\$5	US-PGPUB; USPAT; USOCR; DERWENT	OR .	OFF	2007/02/03 15:00

BEST AVAILABLE COF

L10	105740	(INTERLAC\$3 OR DOUBLE\$3) AND (PROGRESSIV\$3 OR NON-INTERLAC\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:01
L11	2169	SCAN\$5 NEAR3 (MODE\$3 OR FORMAT\$3) SAME FILTER\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:06
L12	300	10 AND 11 AND 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/02/03 15:04
L13	300	10 AND 11 AND 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:03
L14	2169	SCAN\$5 NEAR3 (MODE\$3 OR FORMAT\$3) SAME FILTER\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:06
L15	300	12 AND 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:06
L16	725	SCAN\$5 NEAR3 (MODE\$3 OR FORMAT\$3) WITH FILTER\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:07

			•			
L17	96	15 AND 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 15:19
L18	2	"5161003".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:19
L19	5	("4598314" "4855824" "5014116"). PN. OR ("5161003").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/03 15:21
L20	3	19 AND (LCD OR LED OR OLED OR MATRIX)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/03 15:35
L21	33	(SWITCH\$3 OR CHANG\$3) WITH (VERTICAL\$3) NEAR3 FILTER\$3 AND ("345"/\$ OR 315/169.3 OR "348"). CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:48
L22	0	((SWITCH\$3 OR CHANG\$3) WITH (VERTICAL\$3) NEAR3 FILTER\$3 WITH (MODE\$3 OR METHOD OR FORMAT\$3) AND (WEAK\$3 OR LESS) WITH HIGH\$3 WITH FRQUENC\$3). CLM.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:51
L23	0	((SWITCH\$3 OR CHANG\$3) NEAR3 FILTER\$3 WITH (MODE\$3 OR METHOD OR FORMAT\$3) AND (WEAK\$3 OR LESS) WITH HIGH\$3 WITH FRQUENC\$3).CLM.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 15:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp	•
L1	13	(normaliz\$3 or frequenc\$3) same (oled or led or electroluminescent or electro-luminancent\$3) near3 (display or screen) same (db or decibels)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 09:19	-
L2	13	(normaliz\$3 or frequenc\$3) same (oled or led or electroluminescent or electro-luminancent\$3) near3 (display or screen) same (db or decibels)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 09:21	
L3	7	(filter\$3) same (oled or led or electroluminescent or electro-luminancent\$3) near3 (display or screen) same (db or decibels)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 12:21	r ėjas ių nielė nie
L4	6	(filter\$3) same (oled or led or electroluminescent or electro-luminancent\$3) near3 (display or screen) same (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/02/03 09:24	
L5	. 548	(filter\$3) same (display or screen) same (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:45	
L6	. 12	5 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3). ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:45	,
L7	3951	(display or screen) with (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:51	
L8	225	7 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3). ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 10:12	71
L9	27035246	@ay<="2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF:	2007/02/03 09:46	

L10	185	8 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:46
L11	1279	(display or screen) with (db or decibels) with ("3" or "2" or "1")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/02/03 09:47
L12	86	10 and 11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:47
L13	429	(display or screen) with (db or decibels) near3 ("3" or "2" or "1")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:48
L14	27	12 and 13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:50
L15	. 158	10 not 14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:50
L16	2	15 and (vertical\$3) near3 filter\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/02/03 09:50
L17	8103	(display or screen) same (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:51

					·	
L18	2792	17 and (filter\$3 or anti-flick\$3 or flick\$3 or normaliz\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 09:53
L19	127	18 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3). ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 09:53
L20	112	19 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 10:03
L21	4	("7116372" or "4539592").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 10:03
L22	40	("20020027610" "3970776" "4057835" "4251835" "5216505" "5381183" "5410356" "5519451" "5532750" "5534935" "5793435" "5917554" "5990963" "5995154" "6034734" "6259480" "6269484" "6331874" "6343100" "6348949" "6418233" "6459455" "6630961" "6757022").PN. OR ("4539592" "7116372").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/03 10:10
L23	765	(frequenc\$3) with (display) with (charateristic\$3 or normaliz\$3 or attenuat\$3 or gain\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/03 10:12
L24	940	(frequenc\$3) with (display) with (charateristic\$3 or normaliz\$3 or attenuat\$3 or gain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 10:12
L25	860	9 and 24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 10:12

L26	106	25 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3 or "348"/\$).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:05
L27	163	(display or screen) with ("3") near3 (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 10:55
L28	155	27 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:04
L29	1305	(vertical) near3 (filter\$3 or frequenc\$3 or normaliz\$3) same (gain\$3 or attenuat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:11
L30	325	29 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3 or "348"/\$).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:58
L31	314	30 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:06
L32	312	31 not 28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/02/03 11:06
L33	103	(vertical) near3 (filter\$3 or frequenc\$3 or normaliz\$3) same (gain\$3 or attenuat\$3) same (display or screen)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:46

L34	39	33 and 32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:34
L35	0	"6873368".pn. and db	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:36
L36	.2	"5521636".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:48
L37		"5521636".pn. and (display or filter\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:45
L38	1	"5521636".pn. and db	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:49
L39	1	"5521636".pn. and filter\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:52
L40	177761	(display or screen) with s/n samd (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:53
L41	15	(display or screen) with s/n same (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/02/03 11:58

			<u>-</u>			
L42	3951	(display or screen) with (db or decibels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:58
L43	187	42 and (345/55-103 or 345/698-699 or 345/204 345/208-210 or 315/169.3 or "348"/\$).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:58
L44	168	43 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 11:58
L45	. 28347	(vertical) near3 (filter\$3 or frequenc\$3 or normaliz\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:15
L46	69	42 and 45	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:12
L47	41	46 and 9 not 44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:12
L48	3986500	(filter\$3 or frequenc\$3 or normaliz\$3 or noise\$3 or flick\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/02/03 12:16
L49	1871	42 and 48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 12:16

			•			•
L50	1648	49 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 12:17
L51	1802	49 not 46 not 47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:18
L52	36	(freqenc\$3 or nomaliz\$3) with (gain\$3 or attenuat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:19
L53	0	51 and 52	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:19
L54	916597	(gain\$3 or attenuat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/03 12:19
L55	782	51 and 54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:19
L56	149596	(oled or led or electroluminescent or electro-luminancent\$3 or led or small or flat) near3 (display or screen)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 12:22
L57	104	55 and 56	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/02/03 12:22
L58	158438	(oled or led or electroluminescent or electro-luminancent\$3 or led or small or flat) near3 (display or screen)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:22

L59	104	55 and 58	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:31
L60	348	(display or screen) with (frequency or resolution or gain\$3 or attenuat\$3) with (db or decebel\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:34
L61	323	60 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/03 12:34

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.